# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CropMaster® Sulphur

Chemical Name

CAS Name

N/A - mixture

Chemical Formula

CAS No.

N/A - mixture

CAS No.

N/A - mixture

EINECS No.

N/A - mixture

REACH Registration No.

N/A - mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Industrial distribution.

Industrial USE to formulate chemical product mixtures.

Professional formulation of fertiliser products.

Professional USE as:

• Fertiliser on farm – loading and spreading.

Fertiliser in a greenhouse.

Fertilizer – maintenance of equipment.

Uses advised against Other non-specified industry

Reason Lack of related experience or data. The supplier cannot approve this use.

1.3 Details of the supplier of the Safety Data

Sheet

Fax E-mail

Telephone

Company Identification CF Fertilisers UK Limited (formally GrowHow UK Ltd)

Ince, Chester CH2 4LB. +44 (0) 151 357 2777 +44 (0) 151 357 1755

info@cffertilisers.co.uk

1.4 Emergency telephone number

Emergency Phone No. +44 (0) 151 357 4029

E-mail Solids.sds@cffertilisers.co.uk

# **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Not classified.

2.1.2 Directive 67/548/EEC & Directive Not classified.

1999/45/EC

2.2 Label elements

**2.2.1 Label elements** According to Regulation (EC) No. 1272/2008 (CLP).

Trade name CropMaster® Sulphur Hazard Pictogram Not applicable.

Signal word(s) Not applicable.

Hazard statement(s) Not applicable.

Precautionary statement(s) Not applicable.



# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC.

Hazard Symbol Not applicable.

Risk Phrases Not applicable.

2.3 Other hazards Product forms slippery surface when combined with water.

**2.4** Additional information For full text of H/P phrases see section 16.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

EC Classification No. 1272/2008

Hazardous	%W/W	CAS No.	EC No.	REACH Registration	Hazard pictogram(s) and
ingredient(s)				No.	Hazard statement(s)
Ammonium Nitrate	65 - 70	6484-52-2	229-347-8	01-2119490981-27-0020	GHS03, Ox. Sol. 3; H272,
					GHS07, Eye Dam./Irrit. 2; H319.
Ammonium Chloride	3 - 5	12125-02-9	235-186-4	01-2119489385-24-0011	GHS07, Eye Dam./Irrit. 2; H319.
					GHS07, Acute Tox. 4, H302

#### EC Classification No. 67/548/EEC

Hazardous	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
ingredient(s)				
Ammonium Nitrate	65 - 70	6484-52-2	229-347-8	O; R8, Xi; R36.
Ammonium Chloride	3 - 5	12125-02-9	235-186-4	Xn; R22, Xi; R36

### 3.2 Additional information

For full text of H/P phrases see section 16.

# **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

Inhalation



Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48hrs. It may be dangerous to a person providing aid to give mouth-to-mouth resuscitation.

Skin Contact Wash with soap and water. Get medical attention if symptoms occur.

Eye Contact Rinse with plenty of running water, keeping eyelids open. Check for and remove

any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists,

get medical attention.

Ingestion Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting

unless directed to do so by medical personnel.

4.2 Most important symptoms and effects,

both acute and delayed

Exposure to decomposition products may cause a health hazard -

Methaemoglobinaemia. Serious effects may be delayed following exposure. May

be irritating to eyes, mouth, throat and stomach.

4.3 Indication of immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically. In case of exposure to decomposition products in a fire, the person may need to be kept under medical

surveillance for 48hrs.



# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

# **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 **Extinguishing Media** 

> Suitable Extinguishing Media Use flooding quantities of water for extinction.

Unsuitable Extinguishing Media Do not use dry chemical or foam. Do not attempt to smother the fire with steam or

52 Special hazards arising from the

substance or mixture

Hazards The product itself is not combustible, but it can support combustion – even in

absence of air. May react with combustible substances creating fire or explosion

It has high resistance to detonation, though heating under strong confinement can

lead to explosive behavior, especially if contaminated by substances mentioned in

On heating the product melts, and further heating can cause decomposition

releasing toxic fumes. Symptoms from inhalation of these fumes may be delayed.

Hazardous thermal decomposition products May include the following: nitrogen oxides, sulphur oxides, halogenated

compounds (inc chlorine and hydrogen chloride), amine and metal oxides (inc

phosphorous oxides).

Avoid breathing dust, vapours or fumes from burning materials.

5.3 Advice for fire-fighters

Special precautions Promptly isolate the scene by removing all persons from the vicinity if there is a

fire. Move containers from fire area if this can be done with minimal risk. Use

water spray to keep fire exposed containers cool.

Special personnal protective equipment for

fire-fighters

Fire fighters should wear appropriate protective clothing including self-contained

breathing apparatus with a full face piece operated in positive pressure mode. Clothing for fire-fighting conforming to European standard EN469 will provide a

basic level of protection for chemical incidents.

Additional information If product stored in bulk is decomposing, use a self-propelled water lance to

penetrate the heap to the seat of the decomposition.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

> Wear gloves, eye protection and an approved dust mask if dust is generated For non-emergency personnel

during handling. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares,

smoking or flames in hazard area. Provide adequate ventilation.

For emergency responders If specialised clothing is required to deal with the spillage, see section 8.

6.2 **Environmental precautions** Avoid dispersal of spilled material, and run off to soil, waterways, drains and

sewers. Spillages or uncontrolled discharges into watercourses must be alerted to

the appropriate regulatory body.

6.3 Methods and material for containment

and cleaning up

Small spill Vacuum or sweep up material, and place in a designated, labeled waste container.

Use spark-proof tools and explosion proof equipment. Do not adsorb onto sawdust

or other combustible materials.

Recover or recycle if possible. Dispose of via a licensed waste contractor if

required.

Large spills Approach release from upwind. Clear as per small spill.



# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

**6.4** Reference to other sections Section 1 – emergency contact information.

Section 8 – appropriate personal protective equipment. Section 13 – additional waste treatment information.

# **SECTION 7: HANDLING AND STORAGE**

The information in this section contains generic advice and guidance. The list of identified uses in section 1 should be consulted for any use-specific information provided in the exposure scenario(s).

#### 7.1 Precautions for safe handling

Protective measures

Keep away from heat, sparks, open flame, hot surfaces - No smoking. Provide adequate ventilation. Put on appropriate personal protective equipment (section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container (or an approved alternative made from a compatible material), kept tightly closed when not in use. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat. Empty containers containing residue can be hazardous. Do not reuse container. Product forms slippery surface when combined with water.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Recommendations

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (section 10), food and drink. Separate from reducing agents and combustible materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be re-sealed until kept upright to prevent spillage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from organic materials, oil and grease.

Appropriate packaging Polyethylene, Polypropylene.

Inappropriate packaging Zinc, Copper.

7.3 Specific end use(s) Fertiliser

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

The information in this section contains generic advice and guidance. The list of identified uses in section 1 should be consulted for any use-specific information provided in the exposure scenario(s). See section 16 for description of exposure types and acronyms

### 8.1 Control parameters

# 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	TWA	STEL	Form	Note:
		(mg/m³)	(mg/m³)		
Ammonium Chloride	12125-02-9	10	20	Fume	EH40/2005 WELs (1997-01-01)

# 8.1.2 Recommended Monitoring Procedures

If this product contains ingredients with exposure limits, personal and/or workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN689 for methods of the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.



# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

### 8.1.3 PNECs and DNELs

Product	Type	Inhalation (Long Term)	Dermal (Long Term)	Population	Effects
		mg/kg	mg/kg bw/day		
Ammonium Nitrate	DNEL	37.6	21.3	Workers	Systemic
Ammonium Chloride	DNEL	33.5	190	Workers	Systemic

			(	Compartment De	tail	
Product	Туре	Fresh Water mg/litre	Marine Water mg/litre	Intermittent Release mg/litre	Sewage Treatment Plant mg/litre	<b>Soil</b> mg/kg dw
Ammonium Nitrate	PNEC	0.45	0.045	4.5	18	-
Ammonium Chloride	PNEC	1.2	0.12	1.2	16.2	0.163

### 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Not normally required. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

### 8.2.2 Individual Protection Measures

Hygiene Measures

A washing facility or water for eye and skin cleaning should be present.

# 8.2.3 Personal protection equipment

Eye/face protection



Skin protection (hand and body)



eyewear complying with an approved standard should be used, recommendation – tight fitting goggles CEN: EN166.

Light eye protection, safety glasses. When a risk assessment indicates safety

Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary (breakthrough time >8hrs). Protective gloves should be worn under normal conditions of use.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed, and the risks involved. They should be approved by a specialist before handling this product.

Respiratory protection



Not normally required. In case of inadequate ventilation wear respiratory

protection, recommended Filter P2 (EN143).

Thermal hazards When molten: Wear insulating gloves EN407 (heat).

# 8.2.3 Environmental Exposure Controls

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fumes scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

Appearance Solid
Colour Pink/grey
Odour Odourless
Odour Threshold (ppm) Not established
pH (Value) >4.5



# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### Revision 1, July 2013

Melting Point (°C) Not determined, though pure ammonium nitrate melts around 169°C

Boiling point/boiling range (°C): Not determined Flash Point (°C) Not applicable Evaporation rate Not applicable Non-flammable Flammability (solid, gas) Explosive limit ranges. Not applicable Vapour Pressure (mm Hg) Not applicable Vapour Density (Air=1) Not applicable Relative Density Not determined Bulk Density (g/ml) ca.1000 kg/m3. Solubility (Water) >100g/l. Solubility (Other) Not determined

Partition Coefficient (n-Octanol/water)
Auto Ignition Temperature (°C)
Not applicable

Decomposition Temperature (°C) Pure ammonium nitrate begins to decompose at approx. 210°C

Viscosity (mPa.s)

Explosive properties

Oxidising properties

Not applicable

Not explosive

Not an oxidizer

**9.2 Other information** No additional information.

# **SECTION 10: STABILITY AND REACTIVITY**

**10.1** Reactivity Stable under normal conditions. No specific test data related to reactivity available

for this product.

**10.2 Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous reactions or instability may occur under certain conditions of storage or

use. Conditions may include contact with combustible materials. Reactions may include risk of causing or intensifying fire. Can partially melt and decompose in a fire. Risk of explosion if heated under confinement e.g. handling equipment, tubes

or drains.

10.4 Conditions to avoid Incompatible materials, close proximity to heat or fire.

10.5 Incompatible materials Reducing agents, acids, alkalis, combustible products, organic materials, metal

powders, chromates, zinc, copper, copper alloys, chlorates.

10.6 Hazardous Decomposition Product(s) Under normal conditions of storage and use, hazardous decomposition products

should not be produced. If involved in a fire, nitrogen oxides, sulphur oxides, halogenated compounds (inc chlorine and hydrogen chloride), amine and metal

oxides (inc phosphorus oxide) may be produced.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Acute toxicity & effects

Product	Species	<b>LD50 Oral</b> mg/kg	LD50 Dermal mg/kg	Exposure	References
Ammonium Nitrate	Rat	2,950	>5,000	-	IUCLID5
Ammonium Chloride	Rat	1,410	>2,000	-	IUCLID5

Conclusion / Summary

No known significant effects or critical hazards

### 11.1.1 Irritation / Corrosion

Product	Species	Result	Score	Exposure	Observation	References
Ammonium Nitrate	Rabbit	Eyes – Irritant	-	-	-	IUCLID5
Ammonium Chloride	Rabbit	Eyes – Irritant	-	-	-	IUCLID5



# **SAFETY DATA SHEET**

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### Revision 1, July 2013

Skin No known significant effects or critical hazards.

Eyes No known significant effects or critical hazards.

Respiratory No known significant effects or critical hazards.

11.1.2 Sensitization

Skin No known significant effects or critical hazards.

Respiratory No known significant effects or critical hazards.

11.1.2 Mutagenicity No known significant effects or critical hazards

**11.1.3** Carcinogenicity No known significant effects or critical hazards.

11.1.4 Teratogenicity No known significant effects or critical hazards.

### 11.1.5 Reproductive toxicity

Product	Maternal Toxicity	Fertility	Development Toxin	Species	Dose	Exposure	References
Ammonium	-	Negative	Negative	Rat	Oral: > 1,500	28 days	IUCLID5
Nitrate					mg/kg bw/day		
Ammonium	-	Negative	Negative	Rat	Oral: > 1,500	=	IUCLID5
Chloride					mg/kg bw/day		

Conclusion / Summary No known significant effects or critical hazards.

Information on the likely routes of exposure No known significant effects or critical hazards.

# 11.1.6 Potential acute health effects

Inhalation Exposure to decomposition products may cause a health hazard. Serious effects

may be delayed following exposure.

Ingestion Irritating to mouth, throat and stomach. Ingestion of large quantities may give rise

in extreme cases to the formation of methaemoglobin and cyanosis.

Skin Contact No known significant effects or critical hazards.

Eye Contact May be irritating to eyes.

### 11.1.7 Symptoms related to the physical,

chemical & toxicological characteristics

Inhalation No specific data.

Ingestion No specific data.

Skin Contact No specific data.

Eye Contact No specific data.

### 11.2 Chronic toxicity and effects

11.2.1 Delayed and immediate effects, and also

chronic effects from short and long

term exposure

Potential immediate effects No known significant effects or critical hazards.

Potential delayed effects No known significant effects or critical hazards.



# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### Revision 1, July 2013

11.2.2 Long Term Exposure

Potential immediate effects No known significant effects or critical hazards.

Potential delayed effects No known significant effects or critical hazards.

### 11.2.3 Potential Chronic Health Effects

Product	Species	Result	<b>Dose</b> (mg/kg)	Exposure	References
		Chronic NOAEL Oral		28 days	IUCLID5
Ammonium Nitrate	Rat	Sub-acute NOEC Inhalation	>185	2 weeks (5 hr/day)	IUCLID5
Ammonium Chloride	Rat	Sub-chronic NOAEL Oral	684	10 weeks	IUCLID5

Conclusion / Summary No known significant effects or critical hazards

11.2.4 Mutagenicity No known significant effects or critical hazards

11.2.5 Carcinogenicity No known significant effects or critical hazards

11.2.6 Teratogenicity No known significant effects or critical hazards

11.2.7 Developmental Effects No known significant effects or critical hazards

11.2.8 Fertility Effects No known significant effects or critical hazards

11.3 Other information None

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Product	Species	Result	Environment	Dose (mg/litre)	Exposure	References
	Fish	Acute LC50	Fresh water	447	48 hr	
Ammonium Nitrate	Daphnia	Acute EC50	Fresh water	490	48 hr	IUCLID5
	Aquatic Plants	Acute EC 50	Marine water	1,700	10 day	
	Fish	Acute LC50	Fresh water	209	96 hr	
	Fish	Acute LC50	Marine water	174	96 hr	
Ammonium Chloride	Daphnia	Acute EC50	Fresh water	101	48 hr	IUCLID5
	Aquatic Plants	Acute EC50	Fresh water	1,300	5 day	
	Aquatic Plants	Acute EC50	Marine water	90.4	10 day	

Conclusion / Summary No known significant effects or critical hazards.

**12.2** Persistence and degradability No known significant effects or critical hazards.

**12.3** Bioaccumulative potential No known significant effects or critical hazards.

12.4 Mobility in soil

Soil / water partition coefficient Not available.

Mobility The  $NO_3^-$  ion is mobile; the  $NH_4^+$  ion is adsorbed by soil particles. The  $K^+$  ion in the

soil solution is adsorbed by clay minerals and only in light soils where these are

absent can part of the potassium be leached.

**12.5** Results of PBT and vPvB assessment Not classified as PBT or vPvB.



# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

**12.6** Other adverse effects No known significant effects or critical hazards.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1** Waste treatment methods This product and its packaging must be disposed of in a safe way.

13.1.1 Product

Methods of disposal The generation of waste should be avoided or minimized wherever possible.

Significant quantities of waste product should not be disposed of via the foul sewer, but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any

regional local authority requirements.

Hazardous waste The classification of the product may meet the criteria for a hazardous waste.

13.1.2 Packaging

Methods of disposal The generation of waste should be avoided or minimized wherever possible. Care

should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may contain some product residues. Avoid dispersal of spilled material and runoff, and contact with soil, waterways, drains

and sewers.

**13.2** Additional information Disposal should be in accordance with local/state/national legislation.

# **SECTION 14: TRANSPORT INFORMATION**

	ADR / RID	ADN	IMDG	IATA		
UN number	Not applicable / not regulated.					
Proper shipping name		Not ap	oplicable			
Transport hazard class		Not a	plicable			
Packing group		Not a	plicable			
Environmental hazards			No.			
Additional information						
Hazard identification number	Not applicable	-	-	-		
Limited quantity	Not applicable	-	-	-		
Tunnel code	Not applicable	-	-	-		
Marine pollutant	-	No	No.	No.		
Special precautions for user	-	-	Not applicable	Not applicable		
Emergency schedules	-	-	Not applicable	-		
Passenger & cargo aircraft quantity limitation	-	-	-	Not applicable		
Packaging instructions	-	-	-	Not applicable		
Cargo aircraft quantity limitation	-	-	-	Not applicable		
Packaging instructions	=	=	=	Not applicable		

Remark: A compound fertiliser not liable to self-sustaining decomposition according to the IMO-standard trough test as defined in the recommendations on the Transport of

Dangerous Goods, Manual of Tests and Criteria, 2 part III, section 38.

14.7 Transport in bulk according to Annex II of Not applicable MARPOL 73/78 and the IBC Code

14.8 IMSBC

Proper shipping name AMMONIUM NITRATE BASED FERTILISER (non-hazardous)

Class Not applicable

Group



# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 1, July 2013

# **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

15.1.1 EU regulations

Annex XVII – Restrictions on the Not applicable.

manufacture, placing on the market and use of certain dangerous substances, mixtures

and articles

Europe Inventory Not determined.

Integrated Pollution Prevention & Control List Not listed.

(IPPC) - Air

Integrated Pollution Prevention & Control List Not listed.

(IPPC) - Water

Hazardous incident Ordinance Remark Not applicable.

**15.1.2** National regulations To our knowledge, no other country or state specific regulations are applicable.

15.2 Chemical Safety Assessment This product contains substances for which Chemical Safety Assessments are

required.

# **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16: First issue of REACH format SDS.

Additional change information: Change of company name from GrowHow UK Ltd to CF Fertilisers UK Ltd.

Legend

CLP Classification, Labelling and Packaging - Regulation (EC) No. 1272/2008

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level
mg/kg bw/day mg/kg of body weight per day
PNEC Predicted No Effect Concentration

mg/kg dw mg/kg of dry weight

EC50 Effect concentration for 50% of subjects
LC50 Lethal concentration for 50% of subjects
PBT PBT: Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

TWA Time Weighted Average

NOAEL No Observable Adverse Effect Level

# Key literature references and sources for data

- EU REACH IUCLID5 CSR
- Regulation (EC) No. 1272/2008 Annex VI
- National Institute for Occupational Safety & Health, U.S.A.
- Dept. of Health, Education & Welfare, Reports & Memoranda Registry of Toxic Effects of Chemical Substances
- Atrion International Inc. 477 Levy Street, St Laurent, Quebec HAR 2P9, Canada

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008

Product not classified as hazardous

Full text of classifications (CLP/GHS)

Acute Tox.4 ACUTE TOXICITY ORAL Category 4



# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### Revision 1, July 2013

Eye Dam./Irrit.2 SERIOUS EYE DAMAGE / EYE IRRITATION Category 2

Ox. Sol.3 OXIDISING SOLIDS Category 3

### Hazard statement(s) and Precautionary statement(s)

H272 May intensify fire; oxidizer.
H319 Causes serious eye irritation.
H302 Harmful if swallowed.

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves and eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 +P313 If eye irritation persists: get medical advice/attention.

### Full text of classifications (DSD/DPD)

O Oxidising
Xi Irritant
Xn Harmful

#### **Risk Phrases and Safety Phrases**

R8 Contact with combustible material may cause fire.

R22 Harmful if swallowed. R36 Irritating to eyes.

# Hazard pictogram(s) and Hazard Symbol

Not applicable.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. CF Fertilisers UK Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. CF Fertilisers UK Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

# ANNEX TO THE EXTENDED SAFETY DATA SHEET - EXPOSURE SCENARIO

Identification of the substance or mixture

Product definition Mixture

Product name CropMaster® Sulphur

**Exposure Scenario Information** Product is not classified as hazardous, and therefore an exposure scenario is

not required.

